

19" Free standing cabinets suitable for office, equipment room and cabling closet installation. Attention to styling with attractive colours black Ral9005 or light grey Ral7035 with a smoked glass door reinforced with complete metal frames mean that cabinets can be deployed in the most demanding of office environments when looks really matter.

19" Free Standing Cabinets



Features


- * Front door features a full length smoked and shatterproof glass door(t=4mm) reinforced with decorative metal frame
- * Turning lever lock and three point locking mechanism
- * Frames are made with 24 fold design for increased stability
- * 19" mounting angles 4ea. = (front/2ea and back/2ea) allow for flexible configuration and adjustable in depth
- * Multiple cable entry points provide maximum versatility. There are rubber edge sliding cover mechanism that protects and fix the cables both on roof and bottom frames.
- * 4 way access to equipment
- * Quick release / lockable, removable side doors c/with slam latches and locks
- * Powder coat paint finish
- * Leveling feet is included as a standard feature
- * Vented top panel
- Lockable, removable solid rear door c/with three point locking mechanism with a turning lever lock
- * Lockable, removable solid rear door c/with three point locking mechanism with a turning lever lock

- * Secure, locking front and back doors with spring loaded hinges offer best accessibility even when connecting the cabinets.
 - * Rigid welded frame construction in sheet steel rapidly dismantled per 4 screw per corner. Corner of bases have welded sockets on each corner that tightly fixed into the columns gives maximum stability
 - * Grounding kit for door connections are given as standard
 - * Generous cable access
 - * Sturdy steel construction
 - * Easy mounting, fast assembly
 - * Easy to integrate plinth or/and floor fixing kit by 6 screws
 - * Reversible doors: the door hinge is easily swapped from one side to the other.
 - * Vertical cable management channels, two full-length data channels (one on each side) with snap closure doors as standard for 80cmx80cm cabinets.
- STANDARDS**
- *ISO 9001:2000
 - *19" mounting to IEC 297-1
 - *Overall cabinet dimensions to IEC 297-2
- Load Carrying Capacity:** 600 kg
Surface Treatment : Fosfat coating
Painting : Ral7035 / Ral9005

Material Definition and Properties , Thicknesses and Shipment Configuration

Part Definition	Material thickness	Material definition & properties	Shipment Configuration
Upper Case	2,00 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS	1ea.
Bottom Case	2,00 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS	1ea.
Front Door	1,50 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS & 4mm SECURE AND TEMPERED GLASS	1ea.
19" mounting angles	1,50 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 & GALVANIZED COATING	4ea. (2ea. at front , 2ea. at rear)
Fan Tray(unloaded)	1,50 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS	1ea.
Rear Door	1,20 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS	1ea.
Side Panels	1,20 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS	2ea.
C rails	1,50 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 & GALVANIZED COATING	2ea.


19" 600x600 Free Standing Cabinet Technical Drawings



19" Free Standing cabinets					
width= 600 mm depth= 600 mm			width= 600 mm depth= 800 mm		
U = (44,45 mm)	h = inside height(mm)	H = outside height(mm)	U = (44,45 mm)	h = inside height(mm)	H = outside height(mm)
22	1010,00	1189,00	26	1187,80	1366,80
26	1187,80	1366,80	32	1454,50	1633,50
32	1454,50	1633,50	42	1899,00	2078,00
36	1632,30	1811,30	47	2121,25	2300,25
42	1899,00	2078,00			
47	2121,25	2300,25			

NOT: Mentioned dimensions 600 x 600 , 600 x 800
Physical dimensions 600 x 647 , 600 x 827

19" 600x800 Free Standing Cabinet Technical Drawings



19" Free Standing cabinets					
width= 600 mm depth= 600 mm			width= 600 mm depth= 800 mm		
U = (44,45 mm)	h = inside height(mm)	H = outside height(mm)	U = (44,45 mm)	h = inside height(mm)	H = outside height(mm)
22	1010,00	1189,00	26	1187,80	1366,80
26	1187,80	1366,80	32	1454,50	1633,50
32	1454,50	1633,50	42	1899,00	2078,00
36	1632,30	1811,30	47	2121,25	2300,25
42	1899,00	2078,00			
47	2121,25	2300,25			

*NOT: Mentioned dimensions 600 x 600 , 600 x 800
Physical dimensions 600 x 647 , 600 x 827*



19" Free Standing Cabinet 600 x 600 / 600 x 800

ORDER NO	height (U)	depth(mm.)	structure	colour	comments
682266	22U	600X600	assembled	RAL7035 light gray	
601498		600X600	assembled	RAL9005 black	
682666	26U	600X600	assembled	RAL7035 light gray	
672666		600X600	assembled	RAL9005 black	
682668	26U	600X800	assembled	RAL7035 light gray	
601528		600X800	assembled	RAL9005 black	
683266	32U	600X600	assembled	RAL7035 light gray	
673266		600X600	assembled	RAL9005 black	
683268	32U	600X800	assembled	RAL7035 light gray	
601542		600X800	assembled	RAL9005 black	
684266	42U	600X600	assembled	RAL7035 light gray	
601573		600X600	assembled	RAL9005 black	
684268	42U	600X800	assembled	RAL7035 light gray	
601597		600X800	assembled	RAL9005 black	
684768	47U	600X800	assembled	RAL7035 light gray	
674768		600X800	assembled	RAL9005 black	